Author Index

ACKERMANN U. *see* KREUTZ M.
AGUI T. *see* JUNG C.-G.
AGUILERA I. *see* TARRAGO D.
AIBA S. *see* MANOME H.
ALARD P. *see* TAKEUCHI M.
ALLEN J.M. *see* MELENDEZ A.J.
ALLEN S.J. *see* BRENNAN F.R.
ALTIN J.G. *see* GORGANI N.N.
ANANABA G.A. *see* IGIETSEME J.U.
ANDERSEN J.K., TAKAMATSU H., OURA C.A.L., BROOKES S.M., PULLEN L. & PARKHOUSE R.E.M. Systematic characterization of porcine ileal Peyer's patch, I. Apoptosis-sensitive immature B cells are the predominant cell type, 612
ANDERSEN J.K., TAKAMATSU H., PULLEN L. & PARKHOUSE R.M.E. Systematic characterization of porcine ileal Peyer's patch, II. A role for CD154 on T cells in the positive selection of immature porcine ileal Peyer's patch B cells, 622
ANDONEGUI G. *see* LOPEZ D.H.
ANDREESEN R. *see* KREUTZ M.
ANSTEE Q. *see* LOPES L.M.
AOKI I., ITOH S., YOKOTA S., TANAKA S.-I., ISHII N., OKUDA K., MINAMI M. & KLINMAN D. M. Contribution of mast cells to the T helper 2 response induced by simultaneous subcutaneous and oral immunization, 519
ASKENASE P.W. *see* SZCZEPANIK M.
AURIAULT C. *see* PANCRÉ V.

BABLITZ B. *see* LACY P.
BAKER D. *see* BRENNAN F.R.
BARRAT F.S., LESOURD B.M., LOUISE A.S., BOULOUIS H.-J., THIBAULT D.J., NEWAY T. & PILET C. A. Pregnancies modulate B lymphopoiesis and myelopoiesis during murine ageing, 604
BASTA S. *see* MCCULLOUGH K.C.
BASU S. *see* SONG H.
BEARZ A., TELL G., FORMISANO S., MERLUZZI S., COLOMBATTI A. & PUCILLO C. Adhesion to fibronectin promotes the activation of the $p125^{FAK}$/Zap-70 complex in human T cells, 564
BELAY T. *see* IGIETSEME J.U.
BELLA C. *see* BERARD M.
BELLAVIA A. *see* DIELI F.
BELLONE G. *see* MATERA L.
BENENCIA F. & COURREGES M.C. Nitric oxide and macrophage antiviral extrinsic activity, 363
BENINI J. *see* EHLERS S.
BERARD M., CASAMAYOR-PALLEJÀ M., BILLIAN G., BELLA C., MONDIÈRE P. & DEFRANCE T. Activation sensitizes human memory B cells to B-cell-receptor-induced apoptosis, 47
BERKING C. *see* SUN Y.
BHATTACHARYYA S.P., MEKORI Y.A., HOH D., PAOLINI R., METCALFE D.D. & BIANCHINE P. J. Both adhesion to immobilized vitronectin and FcεRI cross-linking cause enhanced focal adhesion kinase phosphorylation in murine mast cells, 357
BIANCHINE P.J. *see* BHATTACHARYYA S.P.
BIANCO A.E. *see* HOGARTH P.J.
BIGLINO A. *see* MATERA L.
BILLIAN G. *see* BERARD M.
BLACK C.M. *see* IGIETSEME J.U.
BOBEK M. *see* MARCINKIEWICZ J.
BODMAN-SMITH K.B. *see* JEDDI P.
BOJUNGA J. *see* LUDWIG R.
BOKOCH G.M. *see* LACY P.
BOLIER J. *see* IGIETSEME J.U.
BONIVER J. *see* DE LEVAL L.
BOOGAERTS M.A. *see* VANDENBORRE K.
BOULOUGOURIS G. *see* WALKER L.S.K.
BOULOUIS H.-J. *see* BARRAT F.S.
BOWERS S. *see* IGIETSEME J.U.
BRENNAN F.R., O'NEILL J.K., ALLEN S.J., BUTTER C., NUKI G. & BAKER D. CD44 is involved in selective leucocyte extravasation during inflammatory central nervous sytem disease, 427
BROOKES S.M. *see* ANDERSEN J.K.
BROWN D.W., FURNESS J., SPEIGHT P.M., THOMAS G.J., LI J., THORNHILL M.H. & FARTHING P.M. Mechanisms of binding of cutaneous lymphocyte-associated antigen-positive and αeβ7-positive lymphocytes to oral and skin keratinocytes, 9
BROWNING M.J. *see* DUNNION D.J.
BRUZELIUS M. *see* WUTTGE D.M.
BURCHELL J. *see* NATH D.
BUTTER C. *see* BRENNAN F.R.

CAHILL R.N.P. *see* HOLDER J.E.
CAMERON M.J. *see* GAO J.-X.
CARMICHAEL A.J. *see* WEEKES M.P.
CARVALHO A.F. *see* SATO M.N.
CASADEVALL A. *see* MONARI C.
CASAMAYOR-PALLEJÀ M. *see* BERARD M.
CASPAR G. *see* LUDWIG R.
CAULFIELD J.J., FERNANDEZ M.H., SOUSA A.R., LANE S.J., LEE T.H. & HAWRYLOWICZ C.M. Regulation of major histocompatibility complex class II antigens on human alveolar macrophages by granulocyte–macrophage colony-stimulating factor in the presence of glucocorticoids, 104
CERNY J. *see* SONG H.
CEUPPENS J.L. *see* VANDENBORRE K.
CHAIN B. *see* MARCINKIEWICZ J.
CHAIN B.M. *see* LOPES L.M.
CHAN S.H. *see* HU H.
CHENG D. *see* LACY P.
CHESTNUTT M.S. *see* JEDDI P.
CHOE Y.K. *see* KANG B.Y.
CHUNG K.F. *see* HUANG T.-J.
CHUNG S.W. *see* KANG B.Y.
CLARK G.J., GUNNINGHAM S., TROY A., VUCKOVIC S. & HART D.N.J. Expression of the RelB transcription factor correlates with the activation of human dendritic cells, 189
COLOMBATTI A. *see* BEARZ A.
CONTARINI M. *see* MATERA L.
COOPER A. *see* EHLERS S.
CORLEY E.G. *see* ROWBOTTOM A.W.
COULIE P. *see* DUNNION D.J.
COURREGES M.C. *see* BENENCIA F.
COX C.V. *see* ROWBOTTOM A.W.
CROCKER P.R. *see* NATH D.
CYWINSKI A.L. *see* DUNNION D.J.

DE LEVAL L., DEBRUS S., LANE P., BONIVER J. & MOUTSCHEN M. Mice transgenic for a soluble form of murine cytotoxic T lymphocyte antigen 4 are refractory to murine acquired immune deficiency syndrome development, 630
DE MONCHY J.G.R. *see* ROOZENDAAL R.
DEBRUS S. *see* DE LEVAL L.
DEFRANCE T. *see* BERARD M.
DELACRE M. *see* PANCRÉ V.
DELATTRE V. *see* LAPPIN M.B.
DELVES P.J. *see* JEDDI P.

DENKERT C. *see* SIEGERT A.
DIELI F., SIRECI G., SCIRÈ E., SALERNO A. & BELLAVIA A. Impaired contact hypersensitivity to trinitrochlorobenzene in interleukin-4-deficient mice, 71
DITTMAR H. *see* LAPPIN M.B.
DJUKANOVIC R. *see* SNOW R.E.
DOCKRELL H.M. *see* HUSSAIN R.
DOJKI M. *see* HUSSAIN R.
DOMSCHKE W. *see* LÜGERING N.
DROUET C. *see* GRATTONE M.L.
DUARTE A.J.S. *see* SATO M.N.
DUNNION D.J., CYWINSKI A.L., TUCKER V.C., MURRAY A.K., RICKINSON A.B., COULIE P. & BROWNING M.J. Human antigen-presenting cell/tumour cell hybrids stimulate strong allogeneic responses and present tumour-associated antigens to cytotoxic T cells *in vitro*, 541

EHLERS S., KUTSCH S., BENINI J., COOPER A., HAHN C., GERDES J., ORME I., MARTIN C. & RIETSCHEL E.TH. NOS2-derived nitric oxide regulates the size, quantity and quality of granuloma formation in *Mycobacterium avium*-infected mice without affecting bacterial loads, 313
ELLWOOD C.N. *see* WALKER L.S.K.
ELSON C.J. *see* LANG A.K.

FAN Y. *see* YANG X.
FARTHING P.M. *see* BROWN D.W.
FELDMANN M. *see* WEBB L.M.C.
FERNANDEZ M.H. *see* CAULFIELD J.J.
FINLAY-JONES J.J. *see* HART P.H.
FINN A. *see* MURDOCH C.
FITZHARRIS P. *see* LACY P.
FORMISANO S. *see* BEARZ A.
FORNO B. *see* MATERA L.
FOXWELL B.M.J. *see* WEBB L.M.C.
FRANK A.A. *see* SAUNDERS B.M.
FUKUSHIMA J. *see* IHATA A.
FURNESS J. *see* BROWN D.W.
FUSARO A.E. *see* SATO M.N.

GAO J.-X., MADRENAS J., ZENG W., CAMERON M.J., ZHANG Z., WANG J.-J., ZHONG R. & GRANT D. CD40-deficient dendritic cells producing interleukin-10, but not interleukin-12, induce T-cell hyporesponsiveness *in vitro* and prevent acute allograft rejection, 159
GARLAND R.J. *see* ROWBOTTOM A.W.
GEFFNER J.R. *see* LÓPEZ D.H.
GERBER H. *see* MCCULLOUGH K.C.
GERDES J. *see* EHLERS S.
GIACCONE G. *see* VAN DER VLIET H.J.J.
GILCHRIST M. *see* LACY P.
GIORDANO M. *see* LÓPEZ D.H.
GOLDENBERG D.M. *see* ONG G.L.
GORGANI N.N., ALTIN J.G. & PARISH C. R. Histidine-rich glycoprotein prevents the formation of insoluble immune complexes by rheumatoid factor, 456
GÖTZE O. *see* SCHLAF G.
GRABBE S. *see* LAPPIN M.B.
GRABOWSKA A. *see* MARCINKIEWICZ J.
GRAGE-GRIEBENOW E. *see* KREUTZ M.
GRANT D. *see* GAO J.-X.
GRATTONE M.L., VILLIERS C.L., VILLIERS M.-B., DROUET C. & MARCHE P.N. Co-operation between human CR1 (CD35) and CR2 (CD21) in internalization of their C3b and iC3b ligands by murine-transfected fibroblasts, 152
GRIMBALDESTON M.A. *see* HART P.H.
GRÜTZKAU A. *see* KRÜGER-KRASAGAKES S.
GUNNINGHAM S. *see* CLARK G.J.

HAHN C. *see* EHLERS S.
HAINO M. *see* QIAN Y.-M.
HALL N.D. *see* WALKER L.S.K.
HAMAJIMA K. *see* IHATA A.
HANNA S.M. *see* PÉREZ DE LA LASTRA J.M.
HANSEN H.J. *see* ONG G.L.
HAPPERFIELD L. *see* NATH D.
HARNETT M.M. *see* MELENDEZ A.J.
HART D.N.J. *see* CLARK G.J.
see also MCLELLAN A.D.
HART P.H., GRIMBALDESTON M.A., HOSSZU E.K., SWIFT G.J., NOONAN F.P. & FINLAY-JONES J.J. Age-related changes in dermal mast cell prevalence in BALB/c mice: functional importance and correlation with dermal mast cell expression of Kit, 352
HARTNELL A. *see* NATH D.
HAUPTMANN S. *see* SIEGERT A.
HAWRYLOWICZ C.M. *see* CAULFIELD J.J.
HAZENBOS W.L.W. *see* VAN DEN BERG B.M.
HEISER A. *see* MCLELLAN A.D.
HENNEMANN B. *see* KREUTZ M.
HENZ B.M. *see* KRÜGER-KRASAGAKES S.
HERNO J. *see* PANCRÉ V.
HICKS R. *see* WEEKES M.P.
HINCHLIFFE S.J. *see* MEAD R.
HIROTA H. *see* JEDDI P.
HOFFMANN S. *see* KRÜGER-KRASAGAKES S.
HOGARTH P.J. & BIANCO A.E. Interleukin-12 modulates T-cell responses to microfilariae but fails to abrogate interleukin-5-dependent immunity in a mouse model of onchocerciasis, 406
HOH D. *see* BHATTACHARYYA S.P.
HOLDER J.E., KIMPTON W.G., WASHINGTON E.A. & CAHILL R.N.P. L-selectin expression on thymic emigrants defines two distinct tissue-migration pathways, 422
HONJO T. *see* OCHI H.
HOSSAIN M.A. *see* ZHANG L.
HOSSZU E.K. *see* HART P.H.
HU H., LI G., LIM Y.K., CHAN S.H. & YAP E.H. Kinetics of interferon-γ secretion and its regulatory factors in the early phase of acute graft-versus-host disease, 379
HUANG T.-J., MACARY P.A., WILKE T., KEMENY D.M. & CHUNG K.F. Inhibitory effects of endogenous and exogenous interferon-γ on bronchial hyperresponsiveness, allergic inflammation and T-helper 2 cytokines in Brown–Norway rats, 280
HUGHSON E. *see* LOPES L.M.
HUSSAIN R., KIFAYET A., DOJKI M. & DOCKRELL H.M. Selective correlation of interferon-γ, tumour necrosis factor-α and granulocyte–macrophage colony-stimulating factor immunoglobulin G1 and immunoglobulin G3 subclass antibody in leprosy, 238

IDA K. *see* MOROKATA T.
IGIETSEME J.U., ANANABA G.A., BOLIER J., BOWERS S., MOORE T., BELAY T., LYN D. & BLACK C.M. The intercellular adhesion molecule type-1 is required for rapid activation of T helper type 1 lymphocytes that control early acute phase of genital chlamydial infection in mice, 510
IHATA A., WATABE S., SASAKI S., SHIRAI A., FUKUSHIMA J., HAMAJIMA K., INOUE J. & OKUDA K. Immunomodulatory effect of a plasmid expressing CD40 ligand on DNA vaccination against human immunodeficiency virus type-1, 436
IKOMA S. *see* MATSUURA K.
IM S.-Y. *see* KANG B.Y.
INOUE J. *see* IHATA A.
ISHII N. *see* AOKI I.
ISHIKAWA J. *see* MOROKATA T.
ITOH S. *see* AOKI I.

JEDDI P., KEUSCH J., LYDYARD P.M., BODMAN-SMITH K.B., CHESTNUTT M.S., WOFSY D., HIROTA H., TAGA T. & DELVES P.J. The effect on immunoglobulin glycosylation of altering *in vivo* production of immunoglobulin, 475
JENG K.-C.G. *see* WANG M.-J.
JENG K.C.G. *see* WANG M.J.
JUNG C.-G., KAMIYAMA T. & AGUI T. Elevated apoptosis of peripheral T lymphocytes in diabetic BB rats, 590
JUNGERMANN K. *see* SCHLAF G.

KAI K., RIKIISHI H., SUGAWARA S., TAKAHASHI M., TAKADA H. & KUMAGAI K. Lipopolysaccharide-dependent down-regulation of CD27 expression on T cells activated with superantigen, 289
KAMIYAMA T. *see* JUNG C.-G.
KANG B.Y., CHUNG S.W., IM S.-Y., CHOE Y.K. & KIM T.S. Sulfasalazine prevents T-helper 1 immune response by suppressing interleukin-12 production in macrophages, 98
KASRAN A. *see* VANDENBORRE K.
KATZ D.R. *see* LOPES L.M.
KAUFFMAN H.F. *see* ROOZENDAAL R.
KELLY K. *see* QIAN Y.-M.
KEMENY D.M. *see* HUANG T.-J.
KEUSCH J. *see* JEDDI P.
KIFAYET A. *see* HUSSAIN R.
KIM T.S. *see* KANG B.Y.
KIM Y.B. *see* MCCULLOUGH K.C.
KIMPTON W.G. *see* HOLDER J.E.
KIRWAN J.R. *see* LANG A.K.
KLINMAN D.M. *see* AOKI I.
KNÖTIG S. *see* MCCULLOUGH K.C.
KOEZUKA Y. *see* VAN DER VLIET H.J.J.
KOHASHI O. *see* ZHANG L.
KOZEL T.R. *see* MONARI C.
KRAMMER P.H. *see* MICHEL J.
KRASAGAKIS K. *see* KRÜGER-KRASAGAKES S.
KRAUSE S.W. *see* KREUTZ M.
KRETSCHMER M. *see* LUDWIG R.
KREUTZ M., HENNEMANN B., ACKERMANN U., GRAGE-GRIEBENOW E., KRAUSE S.W. & ANDREESEN R. Granulocyte–macrophage colony-stimulating factor modulates lipopolysaccharide (LPS)-binding and LPS-response of human macrophages: inverse regulation of tumour necrosis factor-α and interleukin-10, 491
KRÜGER-KRASAGAKES S., GRÜTZKAU A., KRASAGAKIS K., HOFFMANN S. & HENZ B.M. Adhesion of human mast cells to extracellular matrix provides a costimulatory signal for cytokine production, 253
KSANDER B. *see* TAKEUCHI M.
KUCHARZIK T. *see* LÜGERING N.
KUMAGAI K. *see* KAI K.
KUSTERER K. *see* LUDWIG R.
KUTSCH S. *see* EHLERS S.

LACY P., MAHMUDI-AZER S., BABLITZ B., GILCHRIST M., FITZHARRIS P., CHENG D., MAN S.F.P., BOKOCH G.M. & MOQBEL R. Expression and translocation of Rac2 in cosinophils during superoxide generation, 244
LANE P. *see* DE LEVAL L.
LANE S.J. *see* CAULFIELD J.J.
LANG A.K., MACHT L.M., KIRWAN J.R., WRAITH D.C. & ELSON C.J. Ability of T cells from patients with rheumatoid arthritis to respond to immunoglobulin G, 116
LANGSTEIN J. *see* MICHEL J.
LAPPIN M.B., WEISS J.M., DELATTRE V., MAI B., DITTMAR H., MAIER C., MANKE K., GRABBE S., MARTIN S. & SIMON J.C. Analysis of mouse dendritic cell migration *in vivo* upon subcutaneous and intravenous injection, 181
LECLERE A. *see* SIEGERT A.
LEE T.H. *see* CAULFIELD J.J.
LEPPER M.W. *see* ROWBOTTOM A.W.
LESOURD B.M. *see* BARRAT F.S.
LI G. *see* HU H.
LI J. *see* BROWN D.W.
LIM Y.K. *see* HU H.
LOGTENBERG T. *see* VAN DER VUURST DE VRIES A.-R.
LOPES L.M., HUGHSON E., ANSTEE Q., O'NEIL D., KATZ D.R. & CHAIN B. M. Vectorial function of major histocompatibility complex class II in a human intestinal cell line, 16
LÓPEZ D.H., TREVANI A.S., SALAMONE G., ANDONEGUI G., RAIDEN S., GIORDANO M. & GEFFNER J.R. Acidic pH increases the avidity of FcγR for immune complexes, 450
LOUISE A.S. *see* BARRAT F.S.
LUDWIG R., KRETSCHMER M., CASPAR G., BOJUNGA J., OLDENBURG A., SCHUMM-DRAEGER P., STEGMÜLLER M., VON MINCKWITZ G., USADEL K.-H. & KUSTERER K. *In vivo* microscopy of murine islets of Langerhans: increased adhesion of transferred lymphocytes to islets depends on macrophage-derived cytokines in a model of organ-specific insulitis, 111
LÜGERING N., KUCHARZIK T., MAASER C. & DOMSCHKE W. Interleukin-15 strongly inhibits interleukin-8 and monocyte chemoattractant protein-1 production in human colonic epithelial cells, 504
LYDYARD P.M. *see* JEDDI P.
LYN D. *see* IGIETSEME J.U.

MAASER C. *see* LÜGERING N.
MACARY P.A. *see* HUANG T.-J.
MACHT L.M. *see* LANG A.K.
MACIEL JR M. *see* SATO M.N.
MADRENAS J. *see* GAO J.-X.
MAGEED R.A. *see* WILLIAMS D.G.
MAHMUDI-AZER S. *see* LACY P.
MAI B. *see* LAPPIN M.B.
MAIER C. *see* LAPPIN M.B.
MAN S.F.P. *see* LACY P.
MANKE K. *see* LAPPIN M.B.
MANOME H., AIBA S. & TAGAMI H. Simple chemicals can induce maturation and apoptosis of dendritic cells, 481
MARCHE P.N. *see* GRATTONE M.L.
MARCINKIEWICZ J., NOWAK B., GRABOWSKA A., BOBEK M., PETROVSKA L. & CHAIN B. Regulation of murine dendritic cell functions *in vitro* by taurine chloramine, a major product of the neutrophil myeloperoxidase–halide system, 371
MARTIN C. *see* EHLERS S.
MARTIN S. *see* LAPPIN M.B.
MATERA L., CONTARINI M., BELLONE G., FORNO B. & BIGLINO A. Up-modulation of interferon-γ mediates the enhancement of spontaneous cytotoxicity in prolactin-activated natural killer cells, 386
MATSUURA K., IKOMA S., WATANABE M., TOGAWA A. & SINOHARA H. Some Bence–Jones proteins enter cultured renal tubular cells, reach nuclei and induce cell death, 584
MATTES M.J. *see* ONG G.L.
MCCULLOUGH K.C., BASTA S., KNÖTIG S., GERBER H., SCHAFFNER R., KIM Y.B., SAALMÜLLER A. & SUMMERFIELD A. Intermediate stages in monocyte–macrophage differentiation modulate phenotype and susceptibility to virus infection, 203
MCLELLAN A.D., HEISER A. & HART D.N.J. Induction of dendritic cell costimulator molecule expression is suppressed by T cells in the absence of antigen-specific signalling: role of cluster formation, CD40 and HLA-class II for dendritic cell activation, 171
MCLEOD J.D. *see* WALKER L.S.K.
MEAD R., HINCHLIFFE S.J. & MORGAN B.P. Molecular cloning, expression and characterization of the rat analogue of human membrane cofactor protein (MCP/CD46), 137
MEKORI Y.A. *see* BHATTACHARYYA S.P.
MELENDEZ A.J HARNETT M.M. & ALLEN J.M. FcγRI activation of phospholipase Cγ1 and protein kinase C in dibutyryl cAMP-differentiated U937 cells is dependent solely on the tyrosine-kinase activated form of phosphatidylinositol-3-kinase, 1
MELERO J. *see* TARRAGO D.
MERLUZZI S. *see* BEARZ A.
METCALFE D.D. *see* BHATTACHARYYA S.P.
MIA M.Y. *see* ZHANG L.
MICHEL J., PAULY S., LANGSTEIN J., KRAMMER P.H. & SCHWARZ H. CD137-induced apoptosis is independent of CD95, 42
MILES D.W. *see* NATH D.

MINAMI M. *see* AOKI I.
MIYAZAKI S. *see* OSHIMI Y.
MÖLLER P. *see* SUN Y.
MONARI C., KOZEL T.R., CASADEVALL A., PIETRELLA D., PALAZZETTI B. & VECCHIARELLI A. B7 costimulatory ligand regulates development of the T-cell response to *Cryptococcus neoformans*, 27
MONDIÈRE P. *see* BERARD M.
MONK P.N. *see* MURDOCH C.
MOORE T. *see* IGIETSEME J.U.
MOQBEL R. *see* LACY P.
MORGAN B.P. *see* MEAD R.
see also PÉREZ DE LA LASTRA J.M.
MOROKATA T., ISHIKAWA J., IDA K. & YAMADA T. C57BL/6 mice are more susceptible to antigen-induced pulmonary eosinophilia than BALB/c mice, irrespective of systemic T helper 1/T helper 2 responses, 345
MOUTSCHEN M. *see* DE LEVAL L.
MOYES S.P. *see* WILLIAMS D.G.
MURDOCH C., MONK P.N. & FINN A. Functional expression of chemokine receptor CXCR4 on human epithelial cells, 36
MURRAY A.K. *see* DUNNION D.J.
MYNARD K. *see* WEEKES M.P.

NATH D., HARTNELL A., HAPPERFIELD L., MILES D.W., BURCHELL J., TAYLOR-PAPADIMITRIOU J. & CROCKER P.R. Macrophage–tumour cell interactions: identification of MUC1 on breast cancer cells as a potential counter-receptor for the macrophage-restricted receptor, sialoadhesin, 213
NEWAY T. *see* BARRAT F.S.
NIE X. *see* SONG H.
NISHI N. *see* VAN DER VLIET H.J.J.
NISITANI S. *see* OCHI H.
NOONAN F.P. *see* HART P.H.
NOWAK B. *see* MARCINKIEWICZ J.
NUKI G. *see* BRENNAN F.R.
NUÑEZ-ROLDAN A. *see* TARRAGO D.

OAKHILL A. *see* ROWBOTTOM A.W.
OCHI H., TAKESHITA H., SUDA T., NISITANI S., HONJO T. & WATANABE T. Regulation of B-1 cell activation and its autoantibody production by Lyn kinase-regulated signallings, 595
ODA S. *see* OSHIMI Y.
OKUDA K. *see* AOKI I.
see also IHATA A.
OLDENBURG A. *see* LUDWIG R.
O'NEIL D. *see* LOPES L.M.
O'NEILL J.K. *see* BRENNAN F.R.
ONG G.L., GOLDENBERG D.M., HANSEN H.J. & MATTES M.J. Cell surface expression and metabolism of major histocompatibility complex class II invariant chain (CD74) by diverse cell lines, 296
OPPERMAN M. *see* SCHLAF G.
ORME I. *see* EHLERS S.
ORME I.M. *see* SAUNDERS B.M.
OSHIMI Y., MIYAZAKI S. & ODA S. ATP-induced Ca^{2+} response mediated by P_{2U} and P_{2Y} purinoceptors in human macrophages: signalling from dying cells to macrophages, 220
OURA C.A.L. *see* ANDERSEN J.K.

PALAZZETTI B. *see* MONARI C.
PANCRÉ V., DELACRE M., HERNO J. & AURIAULT C. Schistosomal egg antigen-responsive CD8 T-cell population in *Schistosoma mansoni*-infected BALB/c mice, 525
PAOLINI R. *see* BHATTACHARYYA S.P.
PARISH C.R. *see* GORGANI N.N.
PARKHOUSE R.E.M. *see* ANDERSEN J.K.
PARKHOUSE R.M.E. *see* ANDERSEN J.K.
PARR E.L. & PARR M. B. Immune responses and protection against vaginal infection after nasal or vaginal immunization with attenuated herpes simplex virus type-2, 639
PARR M.B. *see* PARR E.L.
PATEL Y.I. *see* WALKER L.S.K.
PAULY S. *see* MICHEL J.
PÉREZ DE LA LASTRA J.M., HANNA S.M. & MORGAN B. P. Distribution of membrane cofactor protein (MCP/CD46) on pig tissues. Relevance to xenotransplantation, 144
PEREZ R.L. *see* ROMAN J.
PETROVSKA L. *see* MARCINKIEWICZ J.
PEYRAT M.A. *see* VAN DER VLIET H.J.J.
PIETRELLA D. *see* MONARI C.
PILET C.A. *see* BARRAT F.S.
PINEDO H.M. *see* VAN DER VLIET H.J.J.
PING L.-I. *see* WANG M.-J.
POSTMA D.S. *see* ROOZENDAAL R.
PTAK W. *see* SZCZEPANIK M.
PUCILLO C. *see* BEARZ A.
PULLEN L. *see* ANDERSEN J.K.

QIAN Y.-M., HAINO M., KELLY K. & SONG W.-C. Structural characterization of mouse CD97 and study of its specific interaction with the murine decay-accelerating factor (DAF, CD55), 303

RAIDEN S. *see* LÓPEZ D.H.
RICKINSON A.B. *see* DUNNION D.J.
RIETSCHEL E.TH. *see* EHLERS S.
RIKIISHI H. *see* KAI K.
RITZENTHALER J.D. *see* ROMAN J.
ROMAN J., RITZENTHALER J.D., PEREZ R.L. & ROSER S.L. Differential modes of regulation of interleukin-1β expression by extracellular matrices, 228
ROOZENDAAL R., VELLENGA E., POSTMA D.S., DE MONCHY J.G.R. & KAUFFMAN H.F. Nitric oxide selectively decreases interferon-γ expression by activated human T lymphocytes via a cGMP-independent mechanism, 393
ROSER S.L. *see* ROMAN J.
ROTHERMEL E. *see* SCHLAF G.
ROWBOTTOM A.W., LEPPER M.W., GARLAND R.J., COX C.V., CORLEY E.G., OAKHILL A. & STEWARD C.G. Interleukin-10-induced CD8 cell proliferation, 80

SAALMÜLLER A. *see* MCCULLOUGH K.C.
SALAMONE G. *see* LÓPEZ D.H.
SALERNO A. *see* DIELI F.
SANCHEZ B. *see* TARRAGO D.
SANSOM D.M. *see* WALKER L.S.K.
SASAKI S. *see* IHATA A.
SATO M.N., CARVALHO A.F., SILVA A.O., MACIEL M., JR, FUSARO A.E. & DUARTE A.J.S. Low dose of orally administered antigen down-regulates the T helper type 2-response in a murine model of dust mite hypersensitivity, 338
SAUNDERS B.M., FRANK A.A. & ORME I. M. Granuloma formation is required to contain bacillus growth and delay mortality in mice chronically infected with *Mycobacterium tuberculosis*, 324
SCHADENDORF D. *see* SUN Y.
SCHAFFNER R. *see* MCCULLOUGH K.C.
SCHEPER R.J. *see* VAN DER VLIET H.J.J.
SCHIEFERDECKER H.L. *see* SCHLAF G.
SCHLAF G., ROTHERMEL E., OPPERMAN M., SCHIEFERDECKER H.L., JUNGERMANN K. & GÖTZE O. Rat complement factor I: molecular cloning, sequencing and expression in tissues and isolated cells, 464
SCHLÜPEN E.-M. *see* SUN Y.
SCHUMM-DRAEGER P. *see* LUDWIG R.
SCHWARZ H. *see* MICHEL J.
SCIRÈ E. *see* DIELI F.
SHIH P.C. *see* WANG M.J.
SHIRAI A. *see* IHATA A.
SIEGERT A., DENKERT C., LECLERE A. & HAUPTMANN S. Suppression of the reactive oxygen intermediates production of human macrophages by colorectal adenocarcinoma cell lines, 551
SILVA A.O. *see* SATO M.N.
SIMON J.C. *see* LAPPIN M.B.
SINGH M. *see* SONG H.
SINOHARA H. *see* MATSUURA K.
SIRECI G. *see* DIELI F.
SISSONS J.G.P. *see* WEEKES M.P.

SNOW R.E., DJUKANOVIC R. & STEVENSON F. K. Analysis of immunoglobulin E V_H transcripts in a bronchial biopsy of an asthmatic patient confirms bias towards V_H5, and indicates local clonal expansion, somatic mutation and isotype switch events, 646
SONG H., NIE X., BASU S., SINGH M. & CERNY J. Regulation of V_H gene repertoire and somatic mutation in germinal centre B cells by passively administered antibody, 258
SONG W.-C. *see* QIAN Y.-M.
SOUSA A.R. *see* CAULFIELD J.J.
SPEIGHT P.M. *see* BROWN D.W.
STEGMÜLLER M. *see* LUDWIG R.
STEMME S. *see* WUTTGE D.M.
STEVENSON F.K. *see* SNOW R.E.
STEWARD C.G. *see* ROWBOTTOM A.W.
STREILEIN J.W. *see* TAKEUCHI M.
SUDA T. *see* OCHI H.
SUGAWARA S. *see* KAI K.
SUMMERFIELD A. *see* MCCULLOUGH K.C.
SUN Y., MÖLLER P., BERKING C., SCHLÜPEN E.-M., VOLKENANDT M. & SCHADENDORF D. *In vivo* selective expansion of a tumour-specific cytotoxic T-cell clone derived from peripheral blood of a melanoma patient after vaccination with gene-modified autologous tumour cells, 535
SWIFT G.J. *see* HART P.H.
SZCZEPANIK M., PTAK W. & ASKENASE P.W. Role of interleukin-4 in down-regulation of contact sensitivity by γδ T cells from tolerized T-cell receptor $\alpha^{-/-}$ mice, 63

TAGA T. *see* JEDDI P.
TAGAMI H. *see* MANOME H.
TAKADA H. *see* KAI K.
TAKAHASHI M. *see* KAI K.
TAKAMATSU H. *see* ANDERSEN J.K.
TAKESHITA H. *see* OCHI H.
TAKEUCHI M., ALARD P., VERBIK D., KSANDER B. & STREILEIN J.W. Anterior chamber-associated immune deviation-inducing cells activate T cells, and rescue them from antigen-induced apoptosis, 576
TANAKA S.-I. *see* AOKI I.
TARRAGO D., AGUILERA I., MELERO J., WICHMANN I., NUÑEZ-ROLDAN A. & SANCHEZ B. Identification of cation-independent mannose 6-phosphate receptor/insulin-like growth factor type-2 receptor as a novel target of autoantibodies, 652
TAYLOR-PAPADIMITRIOU J. *see* NATH D.
TELL G. *see* BEARZ A.
THIBAULT D.J. *see* BARRAT F.S.
THOMAS G.J. *see* BROWN D.W.
THORNHILL M.H. *see* BROWN D.W.
TOGAWA A. *see* MATSUURA K.
TOKUNAGA O. *see* ZHANG L.
TREVANI A.S. *see* LÓPEZ D.H.
TROY A. *see* CLARK G.J.
TUCKER V.C. *see* DUNNION D.J.

USADEL K.-H. *see* LUDWIG R.

VAN DEN BERG B.M., VAN FURTH R. & HAZENBOS W.L.W. Activation of complement receptor 3 on human monocytes by cross-linking of very-late antigen-5 is mediated via protein tyrosine kinases, 197
VAN DEN EERTWEGH A.J.M. *see* VAN DER VLIET H.J.J.
VAN DER VLIET H.J.J., NISHI N., KOEZUKA Y., PEYRAT M.A., VON BLOMBERG B.M.E., VAN DEN EERTWEGH A.J.M., PINEDO H.M., GIACCONE G. & SCHEPER R.J. ffects of α-galactosylceramide (KRN7000), interleukin-!2 and interleukin-7 on phenotype and cytokine profile of human $V\alpha24^+$ $V\beta11^+$ T cells, 557
VAN DER VUURST DE VRIES A.-R. & LOGTENBERG T. Dissecting the human peripheral B-cell compartment with phage display-derived antibodies, 55
VAN FURTH R. *see* VAN DEN BERG B.M.
VAN GOOL S.W. *see* VANDENBORRE K.
VANDENBERGHE P. *see* VANDENBORRE K.
VANDENBORRE K., VAN GOOL S.W., KASRAN A., CEUPPENS J.L., BOOGAERTS M.A. & VANDENBERGHE P. Interaction of CTLA-4 (CD152) with CD80 or CD86 inhibits human T-cell activation, 413
VECCHIARELLI A. *see* MONARI C.
VELLENGA E. *see* ROOZENDAAL R.
VERBIK D. *see* TAKEUCHI M.
VILLIERS C.L. *see* GRATTONE M.L.
VILLIERS M.-B. *see* GRATTONE M.L.
VOLKENANDT M. *see* SUN Y.
VON BLOMBERG B.M.E. *see* VAN DER VLIET H.J.J.
VON MINCKWITZ G. *see* LUDWIG R.
VUCKOVIC S. *see* CLARK G.J.

WALKER L.S.K., MCLEOD J.D., BOULOUGOURIS G., PATEL Y.I., ELLWOOD C.N., HALL N.D. & SANSOM D.M. Lack of activation induced cell death in human T blasts despite CD95L up-regulation: protection from apoptosis by MEK signalling, 569
WANG J.-J. *see* GAO J.-X.
WANG M.-J., JENG K.-C.G. & PING L.-I. Exogenous cytokine modulation or neutralization of interleukin-10 enhance survival in lipopolysaccharide hyporesponsive C3H/HeJ mice with *Klebsiella* infection, 90
WANG M.J., JENG K.C.G. & SHIH P.C. Differential expression of inducible nitric oxide synthase gene by alveolar and peritoneal macrophages in lipopolysaccharide-hyporesponsive C3H/HeJ mice, 497
WANG S. *see* YANG X.
WASHINGTON E.A. *see* HOLDER J.E.
WATABE S. *see* IHATA A.
WATANABE M. *see* MATSUURA K.
WATANABE T. *see* OCHI H.
WEBB L.M.C., FOXWELL B.M.J. & FELDMANN M. Putative role for interleukin-7 in the maintenance of the recirculating naive $CD4^+$ T-cell pool, 400
WEEKES M.P., WILLS M.R., MYNARD K., HICKS R., SISSONS J.G.P. & CARMICHAEL A.J. Large clonal expansions of human virus-specific memory cytotoxic T lymphocytes within the $CD57^+$ $CD28^-$ $CD8^+$ T-cell population, 443
WEISS J.M. *see* LAPPIN M.B.
WICHMANN I. *see* TARRAGO D.
WILKE T. *see* HUANG T.-J.
WILLIAMS D.G., MOYES S.P. & MAGEED R.A. Rheumatoid factor isotype switch and somatic mutation variants within rheumatoid arthritis synovium, 123
WILLS M.R. *see* WEEKES M.P.
WOFSY D. *see* JEDDI P.
WRAITH D.C. *see* LANG A.K.
WUTTGE D.M., BRUZELIUS M. & STEMME S. T-cell recognition of lipid peroxidation products breaks tolerance to self proteins, 273

YAMADA T. *see* MOROKATA T.
YAMASAKI F. *see* ZHANG L.
YANG X., WANG S., FAN Y. & ZHU L. Systemic mycobacterial infection inhibits antigen-specific immunoglobulin E production, bronchial mucus production and eosinophilic inflammation induced by allergen, 329
YAP E.H. *see* HU H.
YOKOTA S. *see* AOKI I.

ZENG W. *see* GAO J.-X.
ZHANG L., MIA M.Y., ZHENG C.L., HOSSAIN M.A., YAMASAKI F., TOKUNAGA O. & KOHASHI O. The preventive effects of incomplete Freud's adjuvant and other vehicles on the development of adjuvant-induced arthritis in Lewis rats, 267
ZHANG, Z. *see* GAO, J.-X.
ZHENG, C.L. *see* ZHANG, L.
ZHONG, R. *see* GAO, J.-X.
ZHU, L. *see* YANG, X.

Subject Index

α-galactosylceramide, interleukin-12 and interleukin-7:
effect on human T cells, 557
Activation-induced cell death:
resistance of human T cells, 569
Adhesion, of cutaneous lymphocyte-associated antigen-positive αeβ7-positive lymphocytes:
to keratinocytes, 9
Adhesion, to fibronectin:
activation of $p125^{FAC}$/Zap-70 complex, 564
Anterior chamber-associated immune deviation cells:
T-cell activation and rescue from apoptosis, 576
Apoptosis:
of peripheral T lymphocytes in diabetic BB rats, 590
Apoptosis, CD137-induced:
independent of CD95, 42
Arthritis, adjuvant induced:
effects of incomplete Freud's adjuvant and vehicles, 267
Atopic asthmatic reaction:
inhibition by systemic mycobacterial infection, 329
ATPase-induced Ca^{2+} response:
in human macrophages, 220
Autoantibodies:
novel target for, 652

B cells, human, memory:
sensitization to apoptosis, 47
B7:
regulation of T-cell response to *Cryptococcus neoformans*, 27
Bence–Jones protein:
and cell death, 584

CD8 T cells in *Schistosoma mansoni*-infected mice:
schistosomal egg antigen responsiveness, 525
CD27:
down-regulation by lipopolysaccharide, 289
CD40 ligand:
effect on DNA vaccination, 436
CD97, mouse:
structural characterization, 303
Chemokine receptor CXCR4:
expression, 36
Complement factor I, rat:
cloning, sequencing and expression, 464
Complement receptors, CR1 and CR2:
co-operation between, 152
Cytokines and immunoglobulin G subclasses:
in leprosy, 238
Cytotoxic T lymphocyte and melanoma, 535
Cytotoxic T lymphocyte antigen-4:
and human T-cell activation, 413
Cytotoxic T lymphocytes, memory:
within $CD57^+$ $CD28^-$ $CD8^+$ T cells, 443
Cytotoxicity, macrophage:
suppression by tumour cell lines, 551

Dendritic cell costimulator molecule expression:
suppression by T cells, 171
Dendritic cell migration:
in vivo, 181
Dendritic cells, activation:
correlation with RelB expression, 189
Dendritic cells, apoptosis:
role of simple chemical, 481
Dendritic cells, CD40 deficient:
tolerogenic, 159
Dendritic cells:
regulation of junctions by taurine chloramine, 371

Eosinophilia, pulmonary:
role of T helper 1/T helper 2, 345
Epithelial cell:
antigen processing, 16
Experimental autoimmune encephalomyelitis:
effect of anti-CD44 treatment, 427

FcγR, avidity for immune complexes:
effect of acidic pH, 450
FcγRI activation:
of phospholipase Cγ1 and protein kinase C, 1

Glycosylation, of immunoglobulin:
and *in vivo* immunoglobulin G production, 475
Granulocyte–macrophage colony-stimulating factor:
and macrophage differentiation, 491
Granuloma:
in *Mycobacterium tuberculosis* infection in mice, 324

Histidine-rich glycoprotein:
inhibition of insolubilization of immune complexes by rheumatoid factor, 456
Human antigen-presenting cell, tumour cell hybrids:
in vitro responses, 541

Immunoglobulin E:
local maturation of response, 646
Inducible nitric oxide expression:
in alveolar and peritoneal macrophages, 497
Intercellular adhesion molecule type 1 and T helper 1 cell activation:
in *Chlamydia trachomatis* infection, 510
Interferon-γ synthesis by natural killer cells:
stimulation by prolactin, 386
Interferon-γ:
in bronchial hyperresponsiveness and eosinophilia, 280 secretion and regulation in graft-versus-host disease, 379
Interleukin-1β expression:
regulation by extracellular matrices, 228
Interleukin-4:
and down-regulation of contact sensitivity by γδ T cells, 63
Interleukin-4-deficient mice:
impaired contact hypersensitivity, 71
Interleukin-7:
role in maintenance of naive CD4 T-cell pool, 400
Interleukin-10:
induction of CD8 cell proliferation, 80
Interleukin-10, modulation or neutralization:
and survival in *Klebsiella* infection, 90
Interleukin-12:
role in response to onchocerciasis, 406
Interleukin-12 production, by macrophages:
inhibition by sulfasalazine, 98
Interleukin-15:
inhibition of interleukin-8 and monocyte chemoattractant protein-1 in colonic epithelial cells, 504
Invariant chain:
major histocompatibility complex class II (CD74) expression and metabolism, 296
Islets of Langerhans, murine:
lymphocyte adhesion and cytokines, 111
Lipid peroxidation products:
recognition by T cells and breaking tolerance, 273
L-selectin:
and tissue-migration pathways, 422
Lyn kinase:
and B-1 cell activation, 595

Major histocompatibility complex class II antigens:
on human alveolar macrophages regulation by granulocyte–macrophage colony-stimulating factor, 104
Mast cells:
contribution to T helper 2 responses, 519
Mast cells, adhesion to extracellular matrix:
and cytokine production, 253
Mast cells, dermal:
prevalence in BALB/c mice, 352
Mast cells, focal adhesion kinase phosphorylation:
effect of vitronectin and FcεRI crosslinking, 357
Membrane cofactor protein:
distribution on pig tissues, 144
Membrane cofactor protein/CD46, rat analogue of human:
cloning expression and characterization, 137
Monocyte–macrophage differentiation, and susceptibility to virus infection, 203
Murine acquired immune-deficiency syndrome:
in cytotoxic T lymphocyte antigen 4 transgenic mice, 630

Nitric oxide:
and interferon-γ expression by human T cells, 393 and macrophage antiviral activity, 363 in *Mycobacterium avium*-induced granulomas, 313

Oral tolerance:
down-regulation of T helper 2 response in hypersensitivity, 338

Passively administered antibody:
effects on antibody diversity, 258
Peyer's patch, ileal, porcine:
immature B cells, 612 immature B-cell selection by CD154, 622
Phage-display antibodies:
analysis of B-cell compartment, 55
Pregnancies:
modulation of B lymphopoiesis and myelopoiesis during ageing, 604

Rac2 expression:
in cosinophils, 244
Rheumatoid factor, isotype switch:
and mutation in rheumatoid arthritis synovium, 123

Sialoadhesin–MUC1 interactions, 213

T cells:
human reaction to immunoglobulin, 116

Vaginal immunity:
after mucosal immunization, 639
Very-late antigen-5-induced activation of CR3:
on monocytes, 197